

**Richtwaarden voor de dikte van betonnen draagvloer  
(draagvermogen 4 kN/m)**

overspanning	breedvloerplaat		gewapende gewelven		voorgespannen gewelf	
	enkelvoudig	doorlopend	zonder druklaag	druklaag 4cm	zonder druklaag	druklaag 4cm
4.00	18.00	15.00	13.00	17.00	12.00	16.00
4.50	20.00	17.00	13.00	17.00	12.00	16.00
4.60	21.00	17.00	13.00	17.00	12.00	16.00
4.61	21.00	17.00	16.00	17.00	12.00	16.00
5.00	22.00	18.00	16.00	17.00	12.00	16.00
5.01	23.00	18.00	16.00	17.00	15.00	16.00
5.20	23.00	19.00	16.00	17.00	15.00	16.00
5.21	23.00	19.00	16.00	20.00	15.00	16.00
5.40	24.00	19.00	16.00	20.00	15.00	16.00
5.41	24.00	19.00	20.00	20.00	15.00	16.00
5.50	24.00	20.00	20.00	20.00	15.00	16.00
6.00	26.00	21.00	20.00	20.00	15.00	16.00
6.10	27.00	22.00	20.00	20.00	15.00	16.00
6.11	27.00	22.00	20.00	20.00	18.00	19.00
6.20	27.00	22.00	20.00	20.00	18.00	19.00
6.21	27.00	22.00	20.00	24.00	18.00	19.00
6.40	28.00	22.00	20.00	24.00	18.00	19.00
6.41	28.00	23.00		24.00	18.00	19.00
6.50	28.00	23.00		24.00	18.00	19.00
7.00	30.00	24.00		24.00	18.00	19.00
7.20		25.00		24.00	18.00	19.00
7.21		25.00			20.00	22.00
7.50		26.00			20.00	22.00
8.00		27.00			20.00	22.00
8.01		28.00			24.00	22.00
8.40		29.00			24.00	22.00
8.41		29.00			24.00	24.00
8.50		29.00			24.00	24.00
9.00					24.00	24.00
9.20					24.00	24.00
9.21					24.00	28.00
9.50					24.00	28.00
9.51					27.00	28.00
10.00					27.00	28.00
10.50					27.00	28.00
10.70					27.00	28.00
10.71					27.00	31.00
10.80					27.00	31.00
10.81					32.00	31.00
11.00					32.00	31.00
11.50					32.00	31.00
11.90					32.00	31.00
11.91					32.00	36.00
12.00					32.00	36.00
12.50					32.00	36.00
12.60					32.00	36.00
12.61					40.00	36.00
13.00					40.00	36.00

# Dikte draagvloer draagvermogen 4 kN/m<sup>2</sup>

